

We understand cooling





Two brands - Trufrost and Butler team up to provide a comprehensive array of products for ice cream parlours, juice bars, patisseries, C-stores, modern food retail stores and more. Products that will make you breathe easy and see your business soar.






CONTENTS

Soft Serve Freezers	4
Toppings Bars	9
Waffle Bakers	12
Cone Bakers	13
Batch Freezers	14
Blast Chillers / Shock Freezers	16
Frozen Drink Dispensers	17
Juice Dispensers	18
Cold Pressed Juicers	23
Commercial Blenders	24
Visi Coolers/Freezers	27
Multideck Chillers / Deli Counters	41
Chest Freezers / Coolers	43
Countertop Scooping Displays	62
Fried Ice Cream Freezers	66
Ice Machines	67

Soft Ice Cream & Frozen Yogurt





Soft Serve Freezers Single Flavour

With a Trufrost freezer, it is easy to make soft ice cream and frozen yogurt. Just add the pre-mix from your chosen dairy or premix supplier, freeze it down and in few minutes, you are ready to serve. Trufrost freezers produce consistent quality, draw after draw. The countertop model is designed to dispense a single flavour for light duty applications.



Solo

Soft Serve Freezers Twin Twist

The Trufrost floor standing and counter top models come with dual flavour twin twist option. Two models are available to suit different needs. It is easy to make soft ice cream and frozen yogurt. Just add the pre-mix from your chosen dairy or premix supplier, freeze it down and in few minutes you are ready to serve.



Tom & Jerry Plus



2 Plus 1



Technical Specifications - Soft Serve Freezers



Model	Flavours	Max. production	Mix Hopper capacity	Freezing cylinder capacity (Litres)	W x D x H (mm)	First Dispensing	Consecutive Dispensing# (Cups*)	Rated Input Power
Solo	1	10 Litres/Hr.	4 Litres x 1	1.5 x 1	220x660x660	13 minutes	4	700 W
2 Plus 1	Twin Twist	25 Litres/Hr.	5.5 Litres x 2	1.75 x 2	540x710x1440	9 minutes	5 + 5	2500 W
Tom & Jerry Plus	Twin Twist	22 Litres/Hr.	4.3 Litres x 2	1.6 x 2	540x850x800	10 minutes	3 + 3	2200 W

Data based on ambient temperature of 32°C

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

Consecutive dispensing intervals assumed at 8 seconds based on practical experience

* 80 gms of dispensing taken for each cup



Add **zing** to ice cream & yogurt

All you need to do is put out a few flavours of ice cream and a selection of toppings – be it chocolate or raspberry sauce or crunchy options like candy pieces, chopped nuts, crumbled cookies or baked chips. Your guests will love it.





Countertop Toppings Bar

This stunning toppings bar is suitable for refrigerated storage and display of ice cream and yogurt toppings. This countertop refrigerated display comes with an elegant curved glass lid on a stainless steel base which houses the refrigeration system. It has a digital temperature indicator and 8 x GN 1/6 pans.



DTR-8

Floor Standing Toppings Bar

S 900 is a floor standing refrigerated display that comes with a night cover. It comes with pan supports for 1 x GN 1/1 pan, 3 x GN 1/3 pans and 3 x GN 1/6 pans (not included). The refrigerated section in its underbelly is good for additional storage.



Technical Specifications



Model	No. of Layers No.	Description	Dimensions W*D*H (mm)	Volume (Litres)	Temperature Range (°C)	Refrigerant	Power (Watts)
DTR-8	1	8 x GN 1/6 pans	767*612*328	67	2~12	R 134a	110

Top glass also heated

Model	Cooling System	Product Dimensions W*D*H (mm)	Volume (Litres)	GN (530 x 325mm) compatibility	Product Weight (Kgs.)	No. of Doors / Drawers	No. of Shelves	Temperature Range (°C)	Refrigerant	Input Power (Watts)
S 900	Static	900*700*876	240	GN 1/1 Shelf per door	69	2	2	2~+10	R134a	180

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development

Please refer to information given next to the product picture.



Waffle Bakers

The waffle bakers from Butler come with a electro-mechanical timer and can accept deep-frozen, frozen pre-cooked waffles or freshly made batter for making golden crispy waffles.

- ◆ Quick and even heat spread
- ◆ Temperature control range: 124°C ~ 230°C
- ◆ Time Control Range: 99 Minutes & 50 Seconds ~00 Minutes & 00 Seconds



Technical Specifications

Model	Power	Weight	Temperature Range	Dimensions (W x D x H in mm)	Time Control Range
WB-1	2kW	10kg	124°C ~ 230°C	250x450x300	50Sec ~ 99Mins

Voltage: 220-240V/50Hz Specifications are subject to change without prior notice



Cone Bakers

Be distinct. Make your own ice cream cones. Expand your menu with these compact and reliable countertop units from Butler that serve up hot, crisp, delicious waffles and waffle cones in just minutes. Butler Cone Baker preheats to ideal temperature in minutes and provides up to 60 cones per hour. Don't forget the whipped cream, sprinkles, and a bowl of cherries to top off the sundaes. And watch your sales soar!



CB-01



Delivered with a mould for making ice cream cones

Technical Specifications

Model	Power	Temperature Range	Dimensions (W x D x H in mm)
CB-01	1.2 KW	50°C-300°C	280x400x290

Electricals : 220 V Specifications are subject to change without prior notice due to continuous product development



Ice Cream Batch Freezers

Trufrost Batch Freezers provide you the convenience of making your own signature ice creams, gelato and sorbets from one easy-to-use machine. Bring Trufrost quality to the restaurant and catering world. Fruits, nuts and candies can be folded in as the product is being drawn into your container. Choose from two reliable models depending on your needs.



GBF-10



GBF-20

Technical Specifications

Model	W x D x H (mm)	Freezing Cylinder	Max Production	Refrigerant	Rated Input Power	Drive Motor	Weight
GBF-10	596 x 530 x 400	4.7 L	10L / hr	R 134a	800 W	1.375 HP	50 Kg
GBF-20	455 x 710 x 755	5.4 L	20L / hr	R 404a	2000 W	1.5 HP	100 Kg

Electricals: 220V/50Hz/1 Phase
continuous product development

Specifications are subject to change without prior notice due to





Blast Chillers / Shock Freezers For Ice Cream & Gelato

Once out of the batch freezer, at a temperature of -7/-8°C, not all water in ice cream is frozen. So you need to bring its temperature down to -14°C or display or even down to -18°C for storage in a freezer. Trufrost Shock freezers bring ice cream to -18°C in the shortest possible time. Free water turns into micro-crystals, which preserve the product, preventing changes to its quality, consistency and texture and also allows your ice cream to maintain its 'overrun'. Available in 3 capacities, they are suitable for both GN 1/1 and EN 400 x 600 mm tray sizes.

(Please ensure that the foodstuff to be blast chilled/frozen in these models is placed in open condition in the trays, and not in packages)



BCF-5



BCF-10



BCF-13

Technical Specifications



Model	Cooling System	Dimensions W*D*H (mm)	Pan Supports EN & GN 1/1		Chilling Capacity +70°C to +3°C	Freezing Capacity +70°C to -18°C	Refrigerant	Input Power (W)
			40mm deep	65mm deep				
BCF-5	Ventilated	800*800*990	5	3	20kgs in 90mins	15kgs in 240mins	R404a	760
BCF-10	Ventilated	800*800*1520	10	7	40kgs in 90mins	28kgs in 240mins	R404a	1500
BCF-13	Ventilated	800*800*1780	13	9	60kgs in 90mins	38kgs in 240mins	R404a	1860

Electricals: 220V/50Hz./Single Phase

Pans not supplied with machine

Specifications are subject to change without prior notice due to continuous product development



Italian Ice

Frozen Drink Dispensers

Italian Ice is a compact dispenser for Granita/Slush and other frozen drinks such as sorbets, yogurts, cocktails, frozen coffee & cappuccino. Their visual display assists in more sales. They come with two transparent, easy to clean, food-grade bowls of 6 litres each and thermostats for soft drink mode and for overnight storage.



Technical Specifications



Model	W x D x H (mm)	No. of bowls
Italian Ice	340x390x600	2 x 6 litres

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice

Juice Dispensers

These Trufrost dispensers are ideal for non-carbonated beverages, built with an energy efficient refrigeration system, they are easy & quick to dismantle and clean. They come with a shock proof, non-toxic polycarbonate bowls of 8 litres. capacity with independent mixing control. JD-8.2 comes with a spray mechanism that creates a fountain effect and is suitable for syrup based, watery juice. This model is however not recommended for pulp based drinks which are better dispensed in our model Turia-12 shown ahead.



JD-8.2



Technical Specifications



Model	W x D x H (mm)	No. of bowls
JD-8.2	290 x 400 x 680	2

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice





Multipurpose Dispensers

Versatile counter top models for the cooling and dispensing of a variety of popular Indian drinks such as Jal Jeera, Buttermilk, Lassi, Aam (mango) Panna & other natural juices with light pulp. The paddle is designed to stir the beverages and prevent any sedimentation and the machines are easy to clean and sanitize.



Turia 12 (JJ 12)



Chach/ Buttermilk



Jal Jeera



Sweet Lassi



Aam Panna

Technical Specifications



Model	W x D x H (mm)	No. of bowls
Turia 12	270x410x724	12 litres

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice



Chocolate Melter

The Butler Chocolate Melters are designed to not only melt your chocolate, but keep it at the perfect temperature throughout your food service. It comes with a covered stainless steel bowl, which is removable for easy cleaning. These can be used to melt Pure and Compound Chocolate, Hot Sauces and Chocolate Dips and more. It comes with a Temperature Controller to control the heat. Although the low wattage is designed to ensure that the chocolate does not get burnt, constant manual stirring is a must for optimal results.



CMM-4

Technical Specifications

Model	Dimensions W x D x H (mm)	Tank Dimensions W x D x H (mm)	Temperature Range	Capacity	Power	Net Weight
CMM-4	203x355x292	176x 325x100	30~95°C	4 Litre	800W	5.0 Kg

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

If you like it fresh



Commercial Cold Pressed Juicers



Butler's Commercial Cold Pressed Juicer comes with a robust 4 hour heavy duty motor designed to extract juices faster. It expels dry pulp resulting in an enhanced juice yield. Its special masticating system presses the food, releasing their deeply entrenched nutrients and enzymes. The slow RPM ensures a richer texture of juices.

Comes with

- ◆ 1 Polyethylenimine (PEI) strainer
- ◆ 1 grey transparent ice cream strainer
- ◆ 2 grey transparent pulp containers
- ◆ 1 smoothie strainer


Technical Specifications



Model	Power	Rated Working Time	Rated Interval Time	Dimensions (WxDxH)
CPJ-600	240W	4 Hours	30 min	250 x 160 x 470 mm

Voltage: 220-240V/50Hz

Specifications are subject to change without prior notice





Commercial Blenders with Acoustic Enclosure - Premia series

Butler TruBlend blenders are ideal for cafe's, foodcourts, juice bars, restaurants, bars and clubs. Their simplicity lies in their 'easy-to-use' manual controls; a variable speed dial and pulse button which allow you to have just as much control as you might want from a professional machine. The TruBlend AQ Premia model features an advanced acoustic enclosure that reduces blending noise by up to 80% without compromising on its ruggedness or your customers' experience, digital controls, advanced metal gear connector and metal seal connector. The specially designed 1.5L jar and rugged blades crush ice in seconds in blended drinks and is perfect for making frothy milkshakes, smoothies, frappes, juices and cold coffee.



Technical Specifications



Model	Dimensions (WxDxH) mm	Power	Motor Power	Jar Capacity	Net Weight	Timer
TruBlend AQ Premia	240x280x540	1500W	2.25HP	1.8 Litre	11Kg	Yes

Voltage: 220-240V/50Hz
 Specifications are subject to change without prior notice

Commercial Blenders with Acoustic Enclosure

Butler TruBlend blenders are ideal for cafe's, foodcourts, juice bars, restaurants, bars and clubs. Their simplicity lies in their 'easy-to-use' manual controls; a variable speed dial and pulse button which allow you to have just as much control as you might want from a professional machine. It crushes ice in seconds in blended drinks and is perfect for making frothy milkshakes, smoothies, frappes, juices and cold coffee. TruBlend 2.2AQT model features an advanced acoustic enclosure that reduces blending noise by up to 80% without compromising on its ruggedness or your customers' experience. The pulse function can also be used to wet clean the jars after use.



Technical Specifications

Model	Dimensions (WxDxH) mm	Power	Motor Power	Jar Capacity	Net Weight	Timer
TruBlend 2.2 AQT	240x280x540	1680W	2.2 HP	2.5 Litre	9.7Kgs	Yes

Voltage: 220-240V/50Hz

Specifications are subject to change without prior notice due to continuous product development



Commercial Blenders

Butler TruBlend blenders are ideal for caf's, food-courts, juice bars, restaurants, bars and clubs. Their simplicity lies in their 'easy-touse' manual controls; a variable speed dial and pulse button which allow you to have just as much control as you might want from a professional machine. It crushes ice in seconds in blended drinks and is perfect for making frothy milkshakes, smoothies, frappes, juices and cold coffee. The pulse function can also be used to wet clean the jars after use.



Technical Specifications



Model	Dimensions (WxDxH) mm	Power	Motor Power	Jar Capacity	Timer	Net weight
TruBlend 2.2 T	235 x 265 x 545	1680W	2.2 HP	2.5 Litre	Yes	5.75Kg

Voltage: 220-240V/50Hz

Specifications are subject to change without prior notice due to continuous product development

Inviting vertical displays with glass doors



Visi Coolers - Premia Series

(With top mounted compressors)

These Trufrost Premia Series plug-in type 2 glass door upright Coolers come with top mounted compressors. They provide an ultra rich and pleasing 'top to bottom' view of the displayed foodstuff – be it ice creams or any other packaged food. The cabinet interiors come with LED lights to enhance the quality of display.



VC-1250 Premia



VC-1800 Premia



VF-1250 Premia, VF-1800 Premia

Visi Coolers

Visi Freezer

Key Features

- Forced air circulation
- Adjustable shelves
- Interior LED lights
- Universal wheels, front with brake
- Double pane glass including Low E in Visi Coolers
- Self Closing doors
- Self evaporating drip tray
- Low-maintenance condenser
- Standard ambient for Visi Coolers +35°C at 65%RH

Technical Specifications



Model	Volume (L)	Door type	Shelves	Power	Dimensions (wxdxh) mm	Temperature range	Refrigerant	No. of Compressors
VC-1250 Premia	1250	2 Hinge	10	412W	1260x750x2092	+1°C ~ +10°C	R134a	1
VC-1800 Premia	1800	3 Hinge	15	675W	1880x750x2092	+1°C ~ +10°C	R134a	1
VF-1250 Premia	1250	2 Hinge	10	1472W	1260x750x2092	-18°C ~ -22°C	R404a	2
VF-1800 Premia	1800	3 Hinge	15	1850W	1880x750x2092	-18°C ~ -22°C	R404a	2

Electricals: 220V/50Hz./Single Phase

Specifications are subject to change without prior notice due to continuous product development

Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)



Visi Coolers - Italia Series

The Italia series from Trufrost represents a truly premium range of visi coolers in an elegant black body and a luxe frameless door design. These chic visi coolers are designed to enhance the ambience of any store and help you increase your sales by showing beverage bottles, cans, juice packs and other foodstuff at their very best.

- ◆ A choice of 3 models in 77, 300 and 400 litre capacities
- ◆ LED lighting to enhance the display quality
- ◆ VC 300 Slim Italia comes with a very attractive slim fascia
- ◆ VC 300 Slim Italia & VC 400 Italia models also come with black interiors and black shelves
- ◆ The VC 77 Italia can be paired with a similar looking wine cooler model W 19SZ from Trufrost to complement the wine and beer display in trendy bars.



VC-77 Italia



VC-300 Slim Italia



VC-400 Italia

Visi Coolers - NEU Series

The NEU series from Trufrost is yet another premium range of visi coolers draped in a cool white body and an attractive aluminium alloy door frame. The NEU series visi coolers are designed to provide a pleasing look to any store and help you increase your sales by showing beverage bottles, cans, juice packs and other foodstuff at their very best.

- ◆ A choice of 4 models from 250 – 650 litre capacities
- ◆ LED lighting to enhance the display
- ◆ Attractive aluminium alloy door frame



VC-250 NEU



VC-350 NEU



VC-450 NEU



VC-650 NEU

Technical Specifications - Visi Coolers



Specification	Gross Volume (Litres)	w x d x h (mm)	Temperature Range	Power (w)	Lock	Defrost	No. of Lids / Doors	No. of shelves	Interior Light	Wheels / Castors	No. of Compressors	Refrigerant
VC-77 Italia	70	495x450x670	1 - 9°C	85	Yes	Automatic	1	2	LED light	No	1	R600a
VC-300 Slim Italia	300	420x525x1920	2 - 8°C	170	No	Automatic	1	5	LED light	4 legs	1	R600a
VC-400 Italia	400	575x565x1920	2 - 8°C	220	Yes	Automatic	1	5	LED light	4 legs	1	R600a
VC-250 NEU	250	575x555x1645	0 - 10°C	180	Yes	Automatic	1	4	LED light	4	1	R600a
VC-350 NEU	350	575x610x1710	0 - 10°C	210	Yes	Automatic	1	4	LED light	4	1	R600a
VC-450 NEU	450	615x610x1990	0 - 10°C	240	yes	Manual	1	5	LED light	4	1	R600a
VC-650 NEU	650	655x705x1990	0 - 10°C	280	Yes	Manual	1	5	LED light	4	1	R290

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development
 Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)





Visi Coolers

Trufrost brings to India a contemporary range of merchandising solutions that help you increase your sales by showing beverage bottles, cans, juice packs and other foodstuff at their very best. These innovative cooling displays are available in 50 to 1500 litre capacities and 1 Door/ 2 Door / 3 Door variants. They are designed to keep products at the optimum temperature and display them in a way that causes them to jump off the shelves into shopping baskets.



VC-50



VC-100



VC-220



VC-200, VC-300,
VC-330, VC-390,
VC-400 (NEW),
VC-451 Copper Plus



VC-331,
VC-441



VC-500
VC-600NF (New)




VC-700 NF, VC-901,
VC-1000 NF,
VC-1251 Copper Plus



VC-999 NF



VC-1500 NF



Double Door Visi Coolers - Premia Series

Trufrost has introduced a model in the Premia series of showcase coolers in a 2-door variant. It is designed to keep products at the optimum temperature and display them in a way that causes them to jump off the shelves into shopping baskets.



VC-600-2D Premia

Visi Coolers - Black

Trufrost has just rolled out model in black series of showcase coolers in 1 Door variant. It is designed to keep products at the optimum temperature and display them in a way that causes them to jump off the shelves into shopping baskets.



VC-440 Black



Crystal Tower Premia

This newly launched panoramic showcase from Trufrost is poised to be a show-stopper. It presents a 4 side panoramic view of your display enhanced by vertical LED lighting. It comes with a digital temperature display, 4 adjustable shelves, castors for easy mobility and air duct to remove condensation on the glass. The base and the body are specially crafted in black titanium finish stainless steel to give a premium look to your store ambience. These stunning showcases come with a reliable ventilated refrigeration system and an auto defrost that ensures uniform cooling. It is ideal for showcasing cakes, pastries, beverage bottles, canned drinks, packed savouries and more.

Key Features

- Panoramic 4 side double glass
- Digital temperature controller & display
- Elegant & fashionable black stainless steel
- Ventilated cooling
- Chrome plated adjustable shelves
- Brilliant LED lighting
- Air duct outside the glass to remove condensation
- Castors for easy mobility/ cleaning



Technical Specifications - Visi Coolers



Specification	Gross Volume (Litres)	w x d x h (inches)	Temperature Range	Power (w)	Lock	Defrost	No. of Lids / Doors	No. of shelves	Interior Light	Wheels / Castors	No. of vompessors	Refrigerant
VC-50	50	18 x 20 x 20	2 - 8°C	65	No	Yes	1	2	LED light	No	1	R134a
VC-100	100	18 x 20 x 33	2 - 8°C	65	No	Yes	1	4	LED light	No	1	R134a
VC-220	220	21 x 21 x 62	2 - 8°C	67.9	Yes	Yes	1	3	Normal light	No	1	R600a
VC-330	300	21 x 21 x 69	2 - 8°C	230	Yes	Manual	1	4	Yes	4	1	R600a
VC-331	300	22 x 21 x 66	2 - 8°C	210	Yes	Automatic	1	3	Yes	4	1	R600a
VC-390	360	21 x 24 x 69	2 - 8°C	280	yes	manual	1	4	Yes	4	1	R600a
VC-440 Black	400	24 x 24 x 75	2 - 8°C	190	Yes	Automatic	1	5	Yes	Adjustable legs	1	R600a
VC-441	400	22 x 21 x 72	2 - 8°C	220	Yes	Automatic	1	4	Yes	4	1	R600a
VC-451 Copper Plus	410	23 x 28 x 71	2 - 8°C	284	Yes	Automatic	1	4	LED light	Yes	1	R134a
VC-500	475	25 x 24 x 77	2 - 8°C	270	Yes	Automatic	1	5	Yes/ 1 LED	2/2	1	R600a
VC-600NF (New)	532	25 x 28 x 81	2 - 8°C	425	Yes	Automatic	1	5	Yes/ 1 LED	4	1	R134a
VC-600-2D Premia	550	26 x 26 x 77	2 - 8°C	400	Yes	Automatic	1	5	Yes/ 1 LED	4	1	R134a
VC-700NF	680	35 x 24 x 78	2 - 8°C	349	Yes	Automatic	2	8	Yes / 2LEDs	Yes	1	R134a
VC-901	900	44 x 23 x 80	2 - 8°C	430	Yes	Automatic	2	10	2 LED	4	1	R134a
VC-999 NF	1000	44 x 23 x 78	2 - 8°C	475	Yes	Automatic	2	10	2 LED	4	1	R134a
VC-1000NF	1000	44 x 27 x 82	2 - 8°C	475	Yes	Automatic	2	8	Yes / 2LEDs	Yes	1	R134a
VC-1251 Copper Plus	1200	45 x 29 x 86	2 - 8°C	466	Yes	Automatic	2	12	Yes / 2LEDs	Yes	1	R134a
VC-1500NF	1495	71 x 27 x 82	2 - 8°C	687	Yes	Automatic	3	15	Yes / 5LEDs	Yes	1	R134a

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development
 Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)

Specification	Gross Volume (Litres)	w x d x h (inches)	Temperature Range	Power (w)	Lock	Fan	No. of Lids / Doors	No. of shelves	Interior Light	Wheels / Castors	No. of Compressors	Refrigerant
VC-200	180	17 x 20 x 55	2 - 8°C	170	Yes	Yes	1	3	LED light	No	1	R600a
VC-300	280	21 x 20 x 61	2 - 8°C	200	Yes	Yes	1	3	LED light	Yes	1	R600a
VC-400 (New)	380	23 x 20 x 70	2 - 8°C	240	Yes	Yes	1	4	LED light	Yes	1	R600a

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development
 Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)



Model	Product	No. of Layers	Description	Dimensions W*D*H (mm)	Volume (Litres)	Temperature Range (°C)	Front Glass	Refrigerant	Power (Watts)
Crystal Tower Premia	4 Side Glass Panoramic Cake Showcase	5	Base + 4 shelves	675x695x1800	660	2~8	Double Glass	R 290a	590

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development

Ice Cream and the laws of attraction



Traditional Visi Freezers

Trufrost upright visi freezers are known for their reliability and provide a pleasing view of the displayed foodstuff – be it ice creams or any other packaged frozen food. The VF-400 and VF-1000 are among our fast selling models. They have a ventilated cooling system with automatic defrost and are fitted with LED lights to enhance the quality of display.



VF-100



VF-400NF,
VF-400 (New)



VF-1000NF

← New upgraded model with 2 compressors

Technical Specifications - Visi Freezers



Specification	Gross Volume (Litres)	Dimensions w x d x h (mm)	Temperature Range	Power (w)	Lock	Defrost	No. of Lids / Doors	No. of shelves	Interior Light	Wheels / Castors	No. of Compressors	Refrigerant
VF-100	90	600x530x845	≤-22°C	230	Yes	Automatic	1	3	Yes / 2LEDs	Yes	1	R290a
VF-400 (New)	380	615x640x1990	-20°C ~ -26°C	520	Yes	Automatic	1	5	Yes / 2LEDs	Yes	1	R290a
VF-400NF	400	670x693x2008	-18°C ~ -22°C	570	Yes	Automatic	1	5	Yes / 2LEDs	Yes	1	R404a
VF-1000NF	950	1220x693x2008	-18°C ~ -22°C	1100	Yes	Automatic	2	10	Yes / 2LEDs	Yes	2	R404a

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development
 Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)





Plug-in Multideck Chillers

The vertical open type refrigerated plug-in cabinets by Trufrost are designed to enhance product display and stimulate impulse buying in strategic areas of the store, such as in front of cash registers or promotional islands. They are ideal for packaged dairy products, beverages, packaged food, fruits & vegetables, and even certain meat & poultry items. These Multidecks have the full condensing unit system housed within the cabinet and eliminate the need for the installation of an external condenser. They offer maximum flexibility as they can be moved to different locations within the store or can be positioned away from walls as there is no requirement for pipe work to be routed outside. Model PMD-1800 is finished in highly polished stainless steel and PMD-1310 in a pleasing pre-coated finish. Both the models add a touch of class to any store.



PMD-1310, PMD-1800

Key Features

- ◆ High efficiency and balanced refrigeration system
- ◆ LED lighting in each shelf
- ◆ Optimised shelf depth enables more effective displayable volume
- ◆ Night curtain minimizes energy loss
- ◆ Off-cycle defrost reduces the energy consumption
- ◆ Eco friendly R404a refrigerant

Technical Specifications - Plug-in Multidecks Stainless Steel



Product	Model	Dimensions wxdxh (in mm)	Capacity (in Litrs)	Temperature (in °C)	Power	Rated Current	Energy consumption kW per day	Refrigerant	Shelves
Plug In Multideck Chiller	PMD-1310	1310x660x2000	565L	+2 ~ +8	1300 W	10.5A	38.8	R290a	4
Plug In Multideck Chiller	PMD-1800	1800x670x2000	822L	+2 ~ +8	1800 W	10A	23.4	R404a	4

Electricals: 220V/50Hz./Single Phase Specifications are subject to change without prior notice due to continuous product development
 Working condition for open chillers/glass door freezer is class 3 (Room Temp. 25°C and 60%RH)



Chest Freezers & Coolers









Haier

Inspired Living



Why Haier?

	5 Star Rated Machine	5 Sided Freezing Technology* (2x freezing capacity)	Operates up to 50° Ambient Temperature	Dual Condenser	Embossed PCM Inner Liner	Heavy Duty Castors
Haier				 Static + Aux		 50mm
Others	No Star Rating			Single Condenser	Aluminium Liner	 30mm

- ◆ 5 Star Rated Machine : Offers Lowest Power Consumption In The Industry
- ◆ 5 Sided Freezing Technology : 5d Uniform Freezing Technology Gives The Best Freezing Performance Which Has Upto -26 Degree Temperature, 2x Freezing Capability, 160v-260v
- ◆ Operates Upto 50 Degree Ambient Temperature : Machine Can Work Even In High Ambient Temperature Without Failure
- ◆ Dual Condenser : Dual Condenser Gives Better Cooling And Helps Achieving Desired Temperature In Lesser Time
- ◆ Embossed Pcm Inner Liner : This Helps Provide Better Longevity And Reduces Internal Damages
- ◆ Heavy Duty Castors : Helps Provide Better Ground Clearance And In Easy Mobility

Convertible Hard Top Freezers/Chillers

These 2-in-1 hard top chest freezers from Haier conveniently double up as chillers at the turn of a knob and are available in a wide variety of sizes ranging from 145 to 780 litres to suit every conceivable need. You can also choose between single and double lid variants.



HFC-145SM5



HFC-175SM5



HFC-290SM5



HFC-400DM5, HFC-500DM5,
HFC-588DM5



HFC-788DM5

Convertible Glass Top Freezers/Chillers

These Flat Glass Top Freezers from Haier add a new dimension to the routine glass tops available in the market. They are designed to enhance the product display. They come with well designed baskets – some of which are QDI baskets, for easy access & convenient segregation of the displayed items and an extra thick 70mm insulation and exteriors built in a pleasing white body.



HFC-300GM5



HFC-400GM5



HFC-575GM5

Technical Specifications



Specification	Hard Top Freezers							Glass Top Freezers		
	HFC-145SM5	HFC-175SM5	HFC-290SM5	HFC-400DM5	HFC-500DM5	HFC-588DM5	HFC-788DM5	HFC-300GM5	HFC-400GM5	HFC-575GM5
Star Rating	5	5	5	5	5	5	5	5	5	5
Gross Volume (Litres)	102	146	264	383	439	524	734	295	405	575
Dimensions wxdxh (mm)	543x575x875	700x575x875	935x635x905	1235x745x905	1405x745x905	1645x745x905	1860x855x905	1050x650x836	1355x650x836	1690x650x836
Temperature Range	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-22°C	≤-22°C	≤-20°C	≤-22°C
Power (W)	70	75	240	300	380	380	300	190	200	300
Refrigerent	R600a	R600a	R600a/R290	R290	R290	R290	R290	R290	R290	R290
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Defrost	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
No. of Lids / Doors	1	1	1	2	2	2	2	2	2	2
No. of Baskets	1	1	1	1	1	1	1	3(1Mesh+ 2 Wire)	3(2Mesh+ 1 Wire)	2 Wire Mesh Basket+ 2 Wire Basket(6 compartment)
Wheels / Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	4 universal; 2 Lock Wheel
Certification	BEE	BEE	BEE	BEE	BEE	BEE	BEE	BEE	BEE	BEE

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development



Glass Top Freezers - NEU series

These Trufrost Flat Glass Freezers add a new dimension to the routine glass tops available in the market. They come with LED light to enhance the product display – feature that is a retailer’s delight. The NEU series come with fully loaded baskets – some of which are QDI baskets, for easy access & convenient segregation of the displayed items. They come with an extra thick 70mm insulation and an elegant light grey door frame that contrasts well with the white freezer body.



GT-650NEU (2 QDI + 7 regular baskets)



GTC-650NEU (2 QDI + 7 regular baskets)

Technical Specifications



Specification	Models	Gross Volume (Litres)	WxDxH (mm)	Temperature Range	Power (W)	Refrigerent	Lock	Defrost	No. of Lids / Doors	No. of Baskets	Wheels / Castors
Flat Glass Top Freezers	GT-650NEU	628	1888*713*850	-18°C ~ -25°C	370	R290	Yes	Manual	2	9 (7 standard + 2 QDI)	6
Curved Glass Top Freezers	GTC-650NEU	628	1870*695*850	-18°C ~ -25°C	370	R290	Yes	Manual	2	9 (7 standard + 2 QDI)	6

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

*F = Freezer, C = Chiller



CFC Free



Large Cooling Power

Imported Conventional 2-in-1 Convertible Freezers / Chillers

Trufrost 2-in-1 hard top chest freezers conveniently double up as chillers at the turn of a knob and are available in a wide variety of sizes ranging from 100 to 800 litres to suit every conceivable need. You can also choose between single, double and three lid variants.



Premia Series

- CF-110
- CF-110 Premia



Premia Series

- CF-220 Dlx.
- CF-220 Premia
- CF-300 Dlx.
- CF-300 Premia



Diamond Series

- CF-550 2D



Diamond Series

- CF 550 2D Diamond
- CF 800 2D Diamond



Convertible Freezers / Chillers - NEU Series

The NEU series hard top chest freezers from Trufrost are now available in an upgraded new look and a sturdy chrome handle. These 2-in-1 freezers can also double up as chillers at the turn of a knob and are available in a wide variety of sizes ranging from 100 to 770 litres to suit every conceivable need. Depending upon the size, you can also choose between single, double and three lid variants.




Single Lid Models

- CF-110 NEU
- CF-111



Single Lid Models

- CF-220 NEU
- CF-222
- CF-333



Double Lid Models

- CF-330 2D NEU
- CF-333 2D
- CF-440 2D NEU
- CF-444 2D
- CF-550 2D NEU
- CF 555 2D



Three Lid Models

- CF-770 3D NEU
- CF-777 3D

Technical Specifications - Chest Freezers



Model	Gross Volume (L)	w*d*h (mm)	Temperature Range	Power (W)	Refrigerent	Lock	Defrost	No. of Lids / Doors	No. of Baskets	Wheels / Castors
CF-110	100	560*595*790	+2°C -20°C	110	R600a	Yes	Manual	1	1	Yes
CF-110 Premia	100	505*525*835	+2°C -20°C	85	R 600a	Yes	Manual	1	1	Yes
CF-220 Dlx	200	860*540*835	+2°C -20°C	103	R 600a	Yes	Manual	1	1	Yes
CF-220 Premia	220	855*540*835	+2°C -20°C	100	R 600a	Yes	Manual	1	1	Yes
CF-300 Dlx	276	1080*600*835	+2°C -20°C	115	R 134a	Yes	Manual	1	1	Yes
CF-300 Premia	305	1120*600*835	+2°C -20°C	120	R 600a	Yes	Manual	1	1	Yes
CF-450-2D Diamond	450	1256*710*825	+2°C -20°C	280	R 290	Yes	Manual	2	2	Yes
CF-500-2D	470	1523*725*842	+2°C -20°C	253	R 134a	Yes	Manual	2	2	Yes
CF-550-2D	550	1683*670*880	+2°C -20°C	310	R 290	Yes	Manual	2	2	Yes
CF-550-2D Diamond	550	1683*670*880	+2°C -20°C	310	R 290	Yes	Manual	2	2	Yes
CF-800-2D Diamond	800	1945*757*880	+2°C -20°C	330	R 290	Yes	Manual	2	2	Yes

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

Model	Gross Volume (L)	w*d*h (mm)	Temperature Range	Power (W)	Refrigerent	Lock	Defrost	No. of Lids / Doors	No. of Baskets	Wheels / Castors
CF-111	100	560*595*790	+2°C -20°C	110	R600a	Yes	Manual	1	1	Yes
CF-222	220	815*720*845	-18°C ~ -24°C (F) +0°C ~ +10°C (C)	154	R 600a	Yes	Manual	1	1	Yes
CF-333	330	1115*720*845	-18°C ~ -24°C (F) +0°C ~ +10°C (C)	295	R 290	Yes	Manual	1	1	Yes
CF-333 -2D	330	1115*720*845	-18°C ~ -24°C (F) +0°C ~ +10°C (C)	295	R 290	Yes	Manual	2	1	Yes
CF-444-2D	440	1395*720*845	+2°C -20°C	295	R 290	Yes	Manual	2	2	Yes
CF-555-2D	550	1685*720*845	-18°C ~ -24°C (F) +0°C ~ +10°C (C)	395	R 290	Yes	Manual	2	2	Yes
CF-777-3D	740	1810*755*840	+2°C -20°C	320	R 600a	Yes	Manual	3	2	Yes

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

Model	Gross Volume (L)	w*d*h (mm)	Temperature Range	Power (W)	Refrigerent	Lock	Defrost	No. of Lids / Doors	No. of Baskets	Wheels / Castors
CF-110 NEU	100	574x564x845	≤-18°C	93	R600a	Yes	Manual	1	1	Yes
CF-220 NEU	220	800x575x826	≤-18°C	160	R 600a	Yes	Manual	1	1	Yes
CF-330-2D NEU	320	1110x635x826	≤-18°C	185	R 600a	Yes	Manual	2	1	Yes
CF-440-2D NEU	425	1395x720x845	≤-18°C	245	R 290	Yes	Manual	2	1	Yes
CF-550-2D NEU	535	1683x710x825	≤-18°C	300	R 290	Yes	Manual	2	1	Yes
CF-770-3D NEU	755	1945x800x825	≤-18°C	320	R 290	Yes	Manual	3	1	Yes

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development



Dual Temperature Freezers / Chillers



Trufrost dual temp freezers/chillers have two segregated storage compartments – ideal for storing ice-creams & frozen foods in one and dairy products or beverages in the other.

Models available

- DT-300
- DT-350 Diamond
- DT-444



Milk / Bottle Chiller

Trufrost Milk Chillers come with a food-grade stainless steel inner compartment that allows for optimum temperature management of pre-refrigerated milk. The product is suitable for chilled milk to be poured directly into the tank. It is also suitable for storing & chilling bottled beverages and other food-stuff.



Models available

- BC-400-2D-SS



Technical Specifications



Specification	Models	Gross Volume (Litres)	WxDxH (Inches)	Temperature Range	Power (W)	Refrigerent	Lock	Defrost	No. of Lids / Doors	No. of Baskets	Wheels / Castors
Dual Temp Freezers	DT-300	162F/120C*	46x24x33	+2°C -20°C	195	R134a	Yes	Manual	2	1	Yes
	DT-350 Diamond	175F/130C*	48x24x33	+2°C -20°C	210	R134a	Yes	Manual	2	1	Yes
	DT-370-2D Diamond	200F/170C*	1329x575x846	0-10°C, ≤-18°C	135	R600a	Yes	Manual	2	1	Yes
	DT-444	200F/225C*	55x28x34	-18°C ~ -24°C (F) +0°C ~ +10°C (C)	268	R290	Yes	Manual	2	1	Yes
Milk Chiller	BC-400-2D-SS	360	50x26x33	2~10°C	233	R134a	Yes	Manual	2		Yes

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

*F = Freezer, C = Chiller



Glass Top Freezers - Deluxe series

These Trufrost Flat Glass Freezers add a new dimension to the routine glass tops available in the market. They come with LED light to enhance the product display - feature that is a retailer's delight. GT 440 Dlx and GT 650 Dlx come with 4 and 6 fully loaded baskets respectively (2 of which are QDI baskets), for easy access & convenient segregation of the displayed items. They come with an extra thick 75 mm insulation and an elegant aluminium door frame that contrasts well with the white freezer body.



Models available

- GT-440 Dlx (with 4 baskets)
- GT-650 Dlx (with 6 baskets)

Introducing Glass Top Freezers that **stand out**



LED Light



Full basket



Prepainted aluminum plate

Aluminium alloy door frame



Double row Casters



Temperature display

Key Features

- New style flat sliding glass lid
- Fully Automatic operation
- 75 mm thickness insulation
- Exterior white finish
- Aluminum door frame
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Full basket as standard
- Interior LED light as standard
- Four caster wheels
- Environmentally friendly



Technical Specifications



Specification	Models	Gross Volume (Litres)	WxDxH (Inches)	Temperature Range	Power (W)	Refrigerent	Lock	Defrost	No. of Lids / Doors	No. of Baskets	Wheels / Castors
Flat Glass Top Freezers	GT-440 DLX	400	50x27x34	≤-18°C	210	R290	Yes	Manual	2	4 (2 standard + 2 QDI)	4
	GT-650 DLX	600	71x27x34	≤-18°C	252	R290	Yes	Manual	2	6 (4 standard + 2 QDI)	6

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

*F = Freezer, C = Chiller





Flat Glass Top Freezers

Trufrost Flat Glass Freezers are a retailer's delight and come with fully loaded baskets for easy access & convenient segregation of frozen food.



Models available

- GT-100 (with 1 basket)



Models available

- GT-200 (with 1 basket)
- GT-350 (with 4 baskets + 1 QDI)
- GT-355 (with 2 baskets)
- GT-455 (with 2 baskets)
- GT-555 (with 2 baskets)





Curved Glass Top Freezers

Trufrost Curved Glass Freezers are a retailer's delight. GTC 330 and 450 come with 3 baskets and GTC 625 has 9 baskets with 18 separators for easy access & convenient segregation of frozen food.



GTC 165 Premia
(with 1 basket + 1QDI)



GTC 300 Premia
(with 2 baskets + 1QDI)



GTC 400 Spl
(with 3 baskets + 1QDI)
GTC 450 (with 5 baskets)



GTC 625 (with 9 baskets
& 18 Separators)



GTC 700 Premia
(with 4 baskets + 2QDI)

Technical Specifications



Specification	Flat Glass Top Freezers						Curved Glass Top Freezers					
	GT-100	GT-200	GT-350 Premia	GT-355	GT-455	GT-555	GTC-165 Premia	GTC-300 Premia	GTC-400 Spl.	GTC-450	GTC-625	GTC-700 Premia
Gross Volume (Litres)	100	200	340	330	430	530	165	290	390	430	610	690
w*d*h (inches)	23x21x33	32x27x31	49x24x32	44x27x31	55x27x31	66x27x31	25x28x36	39x26x36	50x26x36	50x27x34	71x27x34	74x32x34
Temperature Range	≤-20°C	+5°C ~ -27°C	≤-18°C	+5°C ~ -27°C	+5°C ~ -27°C	+5°C ~ -27°C	≤-22°C	≤-22°C	≤-22°C	≤-20°C	≤-20°C	≤-22°C
Power (W)	133	290	320	320	345	370	215	215	215	200	240	240
Refrigerent	R134a	R290	R290	R290	R290	R290	R290	R290	R290	R290	R290	R290
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Defrost	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
No. of Lids / Doors	2	2	2	2	2	2	2	2	2	2	2	2
No. of Baskets	1	1	4 + 1QDI	2	2	2	1 + 1QDI	3 + 1QDI	3 + 1QDI	5	9	4 + 2QDI
Wheels / Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development



Traditional Island Freezers

Trufrost Island Freezers are a retailer's delight and come with fully loaded baskets for easy access & convenient segregation of frozen food. IL 660 comes with 6 baskets.



Technical Specifications



Specification	Island Freezers IL-660
Gross Volume (Litres)	660
External dimensions w*d*h (mm)	1860x820x560
Internal dimensions w*d*h (mm)	1620x570x414.5
Temperature Range	≤-18°C
Power (W)	355
Refrigerent	R290
Lock	Yes
Defrost	Manual
No. of Lids / Doors	2
No. of Baskets	6
Wheels / Castors	Yes

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development



**IN CASE OF
EMERGENCY
BREAK GLASS**



Wow Gelato - 6



Wow Gelato - 7



Wow Gelato - 12

Ice cream & Gelato Scooping Displays

These stunning displays for ice cream & gelato can be used in different ways – as countertops or intelligently built-in to the counter to merge with your dessert buffet spread. You can choose between 3 models that are draped in elegant curved glass and built on a stainless steel base that houses the refrigeration system and have a digital temperature indicator. You have the flexibility to display more flavours of ice cream or gelato by using GN 1/6 pans (not supplied with the machine). The 3 Wow Gelato models come with with 6 x GN1/3, 7 x GN1/3 pans and 12 x GN1/3 pans respectively.

Technical Specifications



Model	Pans No.	Pans Description	Dimensions W*D*H (mm)	Volume (Litres)	Temperature Range (°C)	Front Glass	Refrigerant	Power (Watts)
Wow Gelato - 6	6	GN 1/3	1170*850*550	122	-13 ~ -22	-	R 404a	780
Wow Gelato - 7	7	GN 1/3	1420*680*740	142	-13 ~ -22	-	R 404a	860
Wow Gelato - 12	12	GN 1/3	1260*1045*1373	300	-13 ~ -22	Heated	R 404a	1200

Electricals: 220V/50Hz./Single Phase

Specifications are subject to change without prior notice due to continuous product development





Countertop Scooping Displays

These stunning displays come with an elegant glass lid on a stainless steel base that houses the refrigeration system and have a digital temperature indicator. It comes with 3 & 4 x 5L pans. However, you have the flexibility to display more flavours of ice cream or gelato by using GN 1/6 pans (not supplied with the machine). The Premia model comes with a curved glass lid and the New & DTF-3 has a stunning flat glass lid. All the models are aided by a pair of strong hydraulic hinges for ease of lifting/opening. These models also come with a stylish LED lighting to perk up the displayed foodstuff and are ideal for self service applications such as outdoor catering and buffets. The scooping displays can be placed on a counter or carefully planned as a drop-in.



DTF-4 Premia



DTF-4 NEU



DTF-3

Technical Specifications



Model	Pans No.	Pans Dimensions (mm)	Dimensions W*D*H (mm)	Volume (Litres)	Temperature Range (°C)	Refrigerant	Power (Watts)
DTF-4 Premia	4	360*165*115	867*735*373	77	-18 ~ -22	R 290	210
DTF-4 NEU	4	360*165*115	867*735*446	77	-18 ~ -22	R 290	210
DTF-3	3	360*165*115	670*750*360	40	-16 ~ -18	R134a	170

Electricals: 220V/50Hz./Single Phase
 Specifications are subject to change without prior notice





Countertop Convertible Freezer & Chiller

This stunning display comes with an elegant curved glass lid on a stainless steel base that houses the refrigeration system and have a digital temperature indicator. It comes with 4 x 5L pans. However, you have the flexibility to display more flavours of ice cream or gelato by using GN 1/3 pans (not supplied with the machine).



DTFR-4

Technical Specifications



Model	Pans No.	Pans Dimensions (mm)	Dimensions W*D*H (mm)	Volume (Litres)	Temperature Range (°C)	Refrigerant	Power (Watts)
DTFR-4	4	360*165*115	805*666*356	67	+2 ~ -22	R 290	220

Electricals: 220V/50Hz./Single Phase

Specifications are subject to change without prior notice

Fried Ice Cream Freezers

This stunning fried ice cream freezer comes with big rounded cooling pan and uniformly distributed built-in copper cooling pipe, the Cold Gold offers superior cooling performance. It may cool goods to a temperature of between 25-30°C, producing the perfect ice cream rolls to please your palate.



Cold Gold


Technical Specifications



Model	Dimensions W*D*H (mm)	Pan Material	Irrigation Quantity	Refrigerant	Power (Watts)	Net Wt.
Cold Gold	640*560*785	SS 304	0.7 Kg	R 410a	900	65Kg

Electricals: 220V/50Hz./Single Phase

Specifications are subject to change without prior notice



Ice Machines

Ice is a food product and deserves due attention when planning your juice bar. It allows you to remain in control of water quality and purity. Trufrost offers high quality ice cube making machines with self-contained storage bins considered highly appropriate for juice bars. They produce full dice ice cubes that are consistent in shape and size. Models IC 35BWA & IC 50BWA can also take in a bottled water jar on top. IC-35BWA, IC-50BWA & IC-100 models are suitable for undercounter applications.



Technical Specifications



Model	Capacity / 24 hrs.*	Ice Storage Capacity	Cube Shape / Size (mm)	Refrigerant	Electricals	Power (w)	Dimensions wxdxh (mm)	Compatible Storage Bin
IC 25 Premia	25 kgs.	6.0 kgs.	Dice / 28*28*23	R404a	220V/50Hz	180	380*470*600	-
IC 35 BW Premia	30 kgs.	15 kgs.	Dice / 28*28*23	R404a	220V/50Hz	280	500*450*830	-
IC 55 BW Premia	50 kgs.	18 kgs.	Dice / 28*28*23	R404a	220V/50Hz	320	500*590*830	-
IC 55 BW Premia XL	50 kgs.	18 kgs.	Dice / 35*35*23	R404a	220V/50Hz	320	500*590*830	-
IC 100 Premia	98 kgs.	45 kgs.	Dice / 28*28*23	R404a	220V/50Hz	600	660*680*930	-
IC 220 Premia	220 kgs	150 kg	Dice / 28*28*23	R404a	220V/50Hz	850	560*830*1600	ISB-150
IC 350 Premia	350 kgs.	220 kg	Dice / 28*28*23	R404a	220V/50Hz	1200	760*830*1600	ISB-220
IC 460 Premia	460 kgs.	220 kg	Dice / 28*28*23	R404a	220V/50Hz	1600	760*830*1800	ISB-220
IC 1000 Premia	950 kgs.	460 kg	Dice / 28*28*23	R404a	380V/50Hz	4500	1220*930*1980	ISB-460

* At 10°C incoming water and 10°C air temperature Height & width for IC 220/350/460/1000 is with the suggested storage bin
 Specifications are subject to change without prior notice due to continuous product development



la dolce vita







Scan the QR codes given below to download other catalogues for

- | | | |
|---|---------------------------------------|---------|
| 1 | Bakeries
Confectionery | ↓
QR |
| 2 | Commercial Kitchens
Cloud Kitchens | QR |
| 3 | Cafés
Patisseries | QR |
| 4 | Pizzerias
QSRs | QR |
| 5 | Ice Cream Parlours
Juice Bars | QR |
| 6 | Resto-bars
Pubs | QR |
| 7 | Food Retail
Supermarkets | QR |
| 8 | Food Preservation
Cold Storage | QR |

Trufrost & Butler

Corporate Office: Trufrost Cooling Pvt. Ltd., 1214 & 1215, 12th Floor, Tower B, Emaar Digital Greens, Golf Course Extn. Road, Sector 61, Gurugram - 122011, India
Tel: +91-124-4246560 **Email:** info@trufrost.com **www.trufrost.com**

UAE: Trufrost & Butler L.L.C. Flat no 1208, Jaber Tower, Al Nahda-2, Dubai, UAE
Tel: +971-54-557-9395, +971-55-676-1323
Email: middleeast@trufrost.com

Andhra/Telangana : 7042027666	Gujarat : 9319579748	Orissa : 7303890590, 9667795491
Chennai : 7303890587, 9289143691	Assam/North-East : 9319391542, 9667795491	Punjab / Haryana : 8448319200, 9319399772
Chhattisgarh : 7303890590	J & K / Himachal : 9717664894	Rajasthan : 8448759200
Coldroom (North): 8448445701, 7303196612	Karnataka : 7303890588, 9289143696	UP : 7303196607
Coldroom (South): 9319399771, 7303890585	Kerala : 9717664984, 7303890587	MP : 7303890582
Delhi/NCR : 8448759200, 7303890582	Maharashtra : 7303890586	Uttarakhand : 8448319200, 9319399772
Goa : 7303196614	Mumbai : 7303196614, 9319579748	West-Bengal/Bihar : 7303890590, 9667795491

Reach-in Cabinets • Undercounter Refrigeration • Blast Freezers • Ice Cubers • Flake Ice Machines • Wine Coolers • Wine Walls • Back Bars • Bottle Coolers • Draught Beer Systems
 Soft Serve Freezers • Granita Dispensers • Juice Dispensers • Hot Chocolate Dispensers • Confectionery Display Cases • Chest Freezers & Coolers • Minibars • Multideck Chillers
 Deli Counters • Visi Coolers • Visi Freezers • Walk-in Coldrooms • Cold Storages • Pre-Coolers • Ultra Low Freezers • Pharmacy Freezers & Coolers • Blood Bank Refrigeration • Mobile Coolers
 Air Sanitisers • Crockery & Cutlery Sterilisers • UV Warm Wipe Sterilisers • Ozone Fruits & Vegetables Disinfectors • Foot Press Water Dispensers





Discover more at
www.trufrost.com